

Physiotherapy Department Patient Information Leaflet Routine Total Hip Replacement (THR)

Post-Operative Recovery

<u>Phase 1</u> - After you wake up from the procedure and are able to, begin to move your feet and legs within comfort in the bed. You will be seen by a physiotherapist when you are medically stable and the effects of your anaesthetic have worn off, this may being in the afternoon after the procedure or the following morning. Initially, you will be taught bed exercises, helped out of bed into standing using a walking frame and take a few steps to sit in a chair. It is important that you let the physio know if at any time you are feeling light headed, nauseous or your pain is not under control. The majority of patients are allowed to take as much weight on the operated leg as they can tolerate, your physio will advise you. The new hip is strong enough to take this weight and actually it encourages healing of the tissues and strengthening of the muscle around the hip,

<u>Phase 2</u> – A physio will advise when you are safe to get yourself in and out of bed and walk around your room on your own. At first you will be aided by a frame, but you will progress onto crutches or walking sticks as soon as the physiotherapist feels you are able to. In addition to the walks with your physiotherapist, you will be encouraged to practice walking up and down the ward corridor on your own using your walking aids,

<u>Phase 3</u> - Prior to going home you will be taught exercises to do standing, these are in addition to your bed exercises. You will also be taught the technique for getting up and down the stairs, and this will be practiced until you feel confident; this can be anything from 2 days after the surgery onwards.

Hip Precautions

Historically patients had to follow hip precautions following their THR; these were movements you needed to avoid for the first 6 weeks. The majority of patients do not now need to follow these. You will be advised by your physio if you do.

We do however, still advise that you avoid extremes of hip movement for the first 6 weeks and move within comfort.

Exercises

- Your physiotherapist will teach you your exercises after your surgery these will be detailed on a printed sheet to help you remember them.
- It is <u>your</u> responsibility to do these exercises; they are the key to making a success of your procedure and will aid a faster recovery.
- Try to do at least ten of each; morning, afternoon and night.

Mobility - Crutches/stick technique

Walking aid → Operated leg → Non-operated leg

Document classification: No restriction		Master Document Location: Physiotherapy Dept. H:Drive		
Document Author: Jesse Holloway		Approved by: Amy Farndell		
Issue date: April 2017	Review date: April 2019		Version:1.0	Page 1 of 3



Equipment/Appliances

Depending on your height, support network at home and any needs identified by your physio, you may be provided with some of the equipment listed below to make getting on and off the toilet, getting dressed and getting on your footwear easier and more comfortable:

- 1. raised toilet seat
- 2. helping hand (grabber)
- 3. long handled shoe horn

Stairs: Remember saying: "Good leg to heaven, bad leg to hell."

Going up: Going down:

1. Non-operated leg (good leg) 1. Walking aid

2. Operated leg (bad leg) 2. Operated leg (bad leg)

3. Walking aid 3. Non-operated leg (good leg)

Discharge Information

Your stay in hospital will be approximately 2-4 days (day 1 being the day after surgery). By the time you are discharged home you will be safe, independent and functional on the ward.

- Getting in and out of the car Stand with your back facing the car seat and place walking
 aid to one side. Hold onto the doorframe and gently lower yourself into the passenger
 seat so that both legs are out of the car. Then ease each leg in one at a time, helping
 with your hands. Gently manoeuvre your bottom around as you do this so you are fully in
 and facing forward. It is helpful to have the car seat as far back as possible.
- Exercises Continue with the exercise regime as shown by your physiotherapist.
- Mobility Gradually increase the distance you walk as you feel comfortable.
- Getting in and out of bed There are no restrictions, but you may find it easier getting into bed with the non-operated leg first and out of bed with the operated leg first
- Sleeping position You may sleep in any position you find comfortable and may find a pillow between your legs is more comfortable
- When sitting down or standing up Always have your arms out of the crutches when sitting down or standing up, otherwise your arms may get caught up in the crutches. Feel the chair/bed/toilet with the back of your legs before sitting down.
- Furniture We are unable to offer a home visit to assess your personal environment and facilities. You may find it more comfortable to sit in a firm, high chair with arms and easier to get on and off a higher bed. It may be possible to get loan equipment from the Red Cross if necessary.
- Outpatient Physiotherapy Your physiotherapist will discuss this with you.

The Physiotherapy Service

The Nuffield Health Brentwood Hospital Physiotherapy Department offers a 7 day in-patient service. You will normally be seen morning and afternoon on a weekday and once a day at weekends. As we work as a team and you will meet more than one physio during your stay.

Document classification: No restriction		Master Document Location: Physiotherapy Dept. H:Drive		
Document Author: Jesse Holloway		Approved by: Amy Farndell		
Issue date: April 2017	Review date: April 2019		Version:1.0	Page 2 of 3

Don't forget the physiotherapists are here to help you and will be pleased to answer any questions that you may have during your stay or after your discharge. If you have any queries, please call 01277 695615.

Document classification: No restriction		Master Document Location: Physiotherapy Dept. H:Drive		
Document Author: Jesse Holloway		Approved by: Amy Farndell		
Issue date: April 2017	Review date: April 2019		Version:1.0	Page 3 of 3